WHITEHAUS

USE AND CARE GUIDE

16 Gauge Stainless Steel Undermount Workstation Sink




Table of Contents

Safety Information	Undermount Installation!
Pre-Installation3	Care and Cleaning(

Safety Information

Before installing this sink, read this instruction manual carefully. It contains important information concerning the safe installation, operation, and maintenance of your sink.

Retain this manual for future use. In the event of sale, transfer, or relocation, ensure this manual remains with the sink.

NOTICE: Avoid leaving wet sponges, salt, and corrosive substances on the sink for long periods of time. Lines and scratches may be caused by improper use of the sink.

NOTICE: Do not place the sink on its side as there is a risk of damage.



WARNING: Keep all packaging materials out of the reach of children to prevent possible choking or suffocation.



WARNING: Use caution when installing the sink. There is a risk of crushing your fingers when inserting the sink into the installation location.




CAUTION: Never place hot objects such as hot pans on the sink. Wait until the object has cooled or use a heat resistant plate when placing hot objects on the sink surface.

Pre-Installation

PLANNING INSTALLATION

Compare all parts to the Hardware Included and Package Contents lists and verify that all parts are included. Inspect all parts for damage. If there are missing parts or visible damage to the sink, do not install and contact the Customer Service Team.

TOOLS REQUIRED



AA

HARDWARE INCLUDED



Part Description		Quantity		
AA	Undermount clip	10		


Pre-Installation (continued)

PACKAGE CONTENTS

Model#	Dimensions (Inches)	Picture	Package Contents
WHSW1818	0verall 18 x 18 x 10 Inside Bowl 16 x 16 x 10		Sink Cut-out Template Bottom Grid Acacia Cutting Board Mounting Hardware
WHSW2719	0verall 27 x 19 x 10 Inside Bowl 25 x 17 x 10		 Sink Cut-out Template Mounting Hardware Strainer Strainer Cover Bottom Grid Acacia Cutting Board HDPE Cutting Board Rolling Mat Colander
WHSW3019	0verall 30 x 19 x 10 Inside Bowl 28 x 17 x 10		 Sink Cut-out Template Mounting Hardware Strainer Strainer Cover Bottom Grid Acacia Cutting Board HDPE Cutting Board Rolling Mat Colander
WHSW3319	0verall 33 x 19 x 10 Inside Bowl 31 x 17 x 10		 Sink Cut-out Template Mounting Hardware Strainer Strainer Cover Bottom Grid Acacia Cutting Board HDPE Cutting Board Rolling Mat Colander
WHSW3619	0verall 36 x 19 x 10 Inside Bowl 34 x 17 x 10		 Sink Cut-out Template Mounting Hardware Strainer Strainer Cover Bottom Grid Acacia Cutting Board HDPE Cutting Board Rolling Mat Colander
WHSW4519	0verall 45 x 19 x 10 Inside Bowl 43 x 17 x 10		 Sink Cut-out Template Mounting Hardware Strainer Strainer Cover Bottom Grid Acacia Cutting Board HDPE Cutting Board Rolling Mat Colander

Pre-Installation (continued)

PACKAGE CONTENTS



Part	Description	Quantity
Α	Template	1
В	Sink	1
С	Bottom grid	1
D	Acacia cutting board	1
Е	Colander	1
F	Roll mat	1
G	Strainer basket	1
Н	Screw slid guide	1


Part	Description	Quantity	
I	Strainer bowl	1	
J	Gasket	1	
К	Double lip seal	1	
L	Waste bowl	1	
M	Flat gasket	1	
N	Fitting	1	
0	Strainer cover	1	
Р	HDPE cutting board in black	1	

Undermount-Installation

Preparing the installation location


NOTICE: It is strongly suggested that you contact a professional countertop fabricator when installing the sink as an undermount.

- ☐ If necessary, remove the old sink and disconnect the water supply lines underneath the sink.
- ☐ If your sink does not already have an existing installation location, place the template (A) on the sink installation location and trace the locations to cut out.
- Check inside the cabinet for any obstructions prior to cutting.
- Cut out the location for the sink.



2 Installing the sink


- Locate and drill the mounting holes, following the countertop manufacturer's instructions. Holes should allow even spacing of mounting brackets around the sink.
- ☐ Clean the bottom of the countertop and the top flange (or lip) of the sink.
- Apply a narrow bead of silicone adhesive sealant evenly all around the top of the sink flanges.
- □ Position and align the sink over the countertop opening. Press silicone onto the countertop.
- ☐ Tighten fasteners until mounting brackets are snug against the sink. Check alignment of the sink to the countertop opening.
- ☐ Tighten the fasteners evenly. Be careful not to over-tighten.
- ☐ Immediately remove excess sealant.



Undermount-Installation

3 Installing the drain assembly

- ☐ Place the gasket (J) on top of the other drain hole in the sink (B), followed by the strainer bowl (I).
- □ From underneath the sink (B), position the double lip seal (K) with grooves facing up on the drain holes, followed by the waste bowl (L).
- ☐ From the top of the drain hole, screw the screw (H) into the waste bowl (L).
- □ Position the gasket (M) at the base of the waste bowl (L) and screw the fitting (N) to the base of the waste bowl (L).
- \square Insert the assembled basket (G) into the strainer bowl (I).



Care and Cleaning

Do not use obvective election or			acustic anda	farmia asid	an anuthing l	simble commonies
Do not use abrasive cleaning cre	eams or bowders.	. concentrated	caustic soua.	torrilic acid.	or anyuning i	namy corrosive.

- ☐ Clean with a sponge or soft dish cloth and gentle sink soap. For stains that are difficult to remove, such as calcium deposits, use eraser sponges, vinegar-based cleaners, and lime removers.
- ☐ Rinse the sink with hot water and dry the sink with a soft absorbent cloth.
- Fruit juices, coffee, and tea can stain the surface of your sink if not removed. Rinse or wipe the sink promptly after these substances make contact with the sink.
- ☐ Never use steam or high-pressure cleaning systems to clean your sink.